

# ROWEEPRA<sup>®</sup>

(levetiracetam tablets USP)

## To achieve savings on your ROWEEPRA<sup>®</sup> prescription, just follow these simple steps:

-  **Ensure that your doctor has written ROWEEPRA DAW (Dispense As Written – or appropriate language required by your state) on your prescription so that you will receive the branded generic ROWEEPRA**
-  **Print this Savings Card off of the ROWEEPRA website ([www.roweepra.com](http://www.roweepra.com)) and present it along with your prescription to the pharmacist**
-  **Go to your local pharmacy to pick up ROWEEPRA**
-  **Present this card at the pharmacy where regardless of dosage:**
  - You could pay as little as \$20 out-of-pocket expense for a 30-day supply if your commercial insurance plan has ROWEEPRA listed
  - You could pay as little as \$30 out-of-pocket expense for a 30-day supply if you are paying cash
-  **When picking up your prescription, check the bag and the bottle label to confirm that you have received the branded generic ROWEEPRA**
-  **This card will be applied to any remaining out-of-pocket expense per 30-day supply and it may be used up to 12 times per year**

To find a pharmacy in your area that carries Roweepra<sup>®</sup> or Roweepra<sup>®</sup> XR please visit: [owppharma.com/pharmacy-locator](http://owppharma.com/pharmacy-locator)

ROWEEPRA<sup>®</sup>  
(levetiracetam tablets USP)

ROWEEPRA<sup>XR</sup>  
(levetiracetam extended-release tablets)

### PATIENT SAVINGS CARD

Eligible commercially insured patients are responsible for at least a minimum of \$20 out-of-pocket expense per 30-day supply. Cash paying patients are responsible for at least a minimum of \$30 out-of-pocket expense per 30-day supply. This card will be applied to any remaining out-of-pocket expense up to a maximum of \$5 per 30-day supply.

RxBIN: 018844  
RxPCN: 3F  
RxGRP: FCRW17  
RxID: RWPT9879567



ROWEEPRA<sup>®</sup> is a registered trademark of OWP Pharmaceuticals, Inc.  
©2018 OWP Pharmaceuticals, Inc. West Chicago, IL 60185  
All rights reserved. Printed in U.S.A.

**Patient Instructions:** You must present this card to the pharmacist along with your prescription to participate in this program. If you have any questions regarding your eligibility, or if you wish to discontinue your participation, call the ROWEEPRA co-pay assistance program at 1-800-273-6729 (9:00 AM – 5:00 PM CST, Monday – Friday). When you use this card, you are certifying that you understand and agree to comply with the program restrictions, regulations, and terms and conditions.

**Pharmacist Instructions:** When you use this card, you are certifying that you have not submitted and will not submit a claim for reimbursement under any federal, state, or other governmental programs for this prescription and will otherwise comply with the terms of this offer.

- **Transmit claim online to RxBIN# 018844**
- **Commercially Insured Patients:** Submit claim to patient's primary insurance first, then submit this offer as a secondary claim, as a Coordination of Benefits using coverage code type 08.
- **Cash-Paying Patients:** Submit as primary claim using coverage code 0 or 01.
- For assistance filing this claim, call Help Desk at 1-855-292-4898.

**Program Restrictions:** Not eligible if prescriptions are paid by any state or federally funded programs, including, but not limited to Medicare, Medicaid, VA, DOD, Tricare or Medigap. Void where prohibited by law. Not valid for a ROWEEPRA and ROWEEPRA XR prescription reimbursed in full by any third-party payer. May not be combined with any other coupon, discount, savings card or other offer. Limited to one prescription per person for any 30-day period. The maximum benefit is \$5 per 30-day prescription. No substitutions permitted. May not be accepted at all pharmacies.

This offer may be terminated, rescinded, revoked or amended by OWP Pharmaceuticals, Inc. at any time, without notice.



The Pharmaceutical Social Enterprise<sup>®</sup>

931 W. Hawthorne Lane • West Chicago, IL 60185 | [info@owppharma.com](mailto:info@owppharma.com) | 1-800-273-6729 | [owppharma.com](http://owppharma.com)

## MEDICATION GUIDE ROWEEPR<sup>a</sup> (ROW ee pra) (Levetiracetam tablets USP)

Read this Medication Guide before you start taking ROWEEPR<sup>a</sup> and each time you get a refill. There may be new information. This information does not take the place of talking to your healthcare provider about your medical condition or treatment.

### What is the most important information I should know about ROWEEPR<sup>a</sup>?

Like other antiepileptic drugs, ROWEEPR<sup>a</sup> may cause suicidal thoughts or actions in a very small number of people, about 1 in 500 people taking it.

Call a healthcare provider right away if you have any of these symptoms, especially if they are new, worse, or worry you:

- thoughts about suicide or dying
- attempts to commit suicide
- new or worse depression
- new or worse anxiety
- feeling agitated or restless
- panic attacks
- trouble sleeping (insomnia)
- new or worse irritability
- acting aggressive, being angry, or violent
- acting on dangerous impulses
- an extreme increase in activity and talking (mania)
- other unusual changes in behavior or mood

### Do not stop ROWEEPR<sup>a</sup> without first talking to a healthcare provider.

- Stopping ROWEEPR<sup>a</sup> suddenly can cause serious problems. Stopping a seizure medicine suddenly can cause seizures that will not stop (status epilepticus).
- Suicidal thoughts or actions can be caused by things other than medicines. If you have suicidal thoughts or actions, your healthcare provider may check for other causes.

### How can I watch for early symptoms of suicidal thoughts and actions?

- Pay attention to any changes, especially sudden changes, in mood, behaviors, thoughts, or feelings.
- Keep all follow-up visits with your healthcare provider as scheduled.
- Call your healthcare provider between visits as needed, especially if you are worried about symptoms.

### What is ROWEEPR<sup>a</sup>?

ROWEEPR<sup>a</sup> is a prescription medicine taken by mouth that is used with other medicines to treat:

- partial onset seizures in people 1 month of age and older with epilepsy
- myoclonic seizures in people 12 years of age and older with juvenile myoclonic epilepsy
- primary generalized tonic-clonic seizures in people 6 years of age and older with certain types of generalized epilepsy.

It is not known if ROWEEPR<sup>a</sup> is safe or effective in children under 1 month of age.

Before taking your medicine, make sure you have received the correct medicine. Compare the name above with the name on your bottle and the appearance of your medicine with the description of ROWEEPR<sup>a</sup> provided below. Tell your pharmacist immediately if you think you have been given the wrong medicine.

500 mg ROWEEPR<sup>a</sup> tablets are yellow to light yellow, oval, film-coated tablets, bisect debossed with logo "OWP" and "500" on one side. The other side is blank.

750 mg ROWEEPR<sup>a</sup> tablets are orange to light orange, oval, film-coated tablets, bisect debossed with logo "OWP" and "750" on one side. The other side is blank.

1,000 mg ROWEEPR<sup>a</sup> tablets are white, oval, film-coated tablets, bisect debossed with logo "OWP" and "1000" on one side. The other side is blank.

### Who should not take ROWEEPR<sup>a</sup>?

Do not take ROWEEPR<sup>a</sup> if you are allergic to levetiracetam.

### What should I tell my healthcare provider before starting ROWEEPR<sup>a</sup>?

Before taking ROWEEPR<sup>a</sup>, tell your healthcare provider about all of your medical conditions, including if you:

- have or have had depression, mood problems or suicidal thoughts or behavior
- have kidney problems
- are pregnant or planning to become pregnant. It is not known if ROWEEPR<sup>a</sup> will harm your unborn baby. You and your healthcare provider will have to decide if you should take ROWEEPR<sup>a</sup> while you are pregnant. If you become pregnant while taking ROWEEPR<sup>a</sup>, talk to your healthcare provider about registering with the North American Antiepileptic Drug Pregnancy Registry. You can enroll in this registry by calling 1-888-233-2334. The purpose of this registry is to collect information about the safety of ROWEEPR<sup>a</sup> and other antiepileptic medicine during pregnancy.
- are breast feeding. ROWEEPR<sup>a</sup> can pass into your milk and may harm your baby. You and your healthcare provider should discuss whether you should take ROWEEPR<sup>a</sup> or breast-feed; you should not do both.

Tell your healthcare provider about all the medicines you take, including prescription and nonprescription medicines, vitamins, and herbal supplements. Do not start a new medicine without first talking with your healthcare provider.

Know the medicines you take. Keep a list of them to show your healthcare provider and pharmacist each time you get a new medicine.

### How should I take ROWEEPR<sup>a</sup>?

Take ROWEEPR<sup>a</sup> exactly as prescribed.

- Your healthcare provider will tell you how much ROWEEPR<sup>a</sup> to take and when to take it. ROWEEPR<sup>a</sup> is usually taken twice a day. Take ROWEEPR<sup>a</sup> at the same times each day.
- Your healthcare provider may change your dose. Do not change your dose without talking to your healthcare provider.
- Take ROWEEPR<sup>a</sup> with or without food.
- Swallow the tablets whole. Do not chew or crush tablets. Ask your healthcare provider for levetiracetam oral solution if you cannot swallow tablets.

- If your healthcare provider has prescribed levetiracetam oral solution, be sure to ask your pharmacist for a medicine dropper or medicine cup to help you measure the correct amount of levetiracetam oral solution. Do not use a household teaspoon. Ask your pharmacist for instructions on how to use the measuring device the right way.
- If you miss a dose of ROWEEPR<sup>a</sup>, take it as soon as you remember. If it is almost time for your next dose, just skip the missed dose. Take the next dose at your regular time. **Do not take two doses at the same time.**
- If you take too much ROWEEPR<sup>a</sup>, call your local Poison Control Center or go to the nearest emergency room right away.

### What should I avoid while taking ROWEEPR<sup>a</sup>?

Do not drive, operate machinery or do other dangerous activities until you know how ROWEEPR<sup>a</sup> affects you. ROWEEPR<sup>a</sup> may make you dizzy or sleepy.

### What are the possible side effects of ROWEEPR<sup>a</sup>?

- See "What is the most important information I should know about ROWEEPR<sup>a</sup>?"

ROWEEPR<sup>a</sup> can cause serious side effects.

Call your healthcare provider right away if you have any of these symptoms:

- mood and behavior changes such as aggression, agitation, anger, anxiety, apathy, mood swings, depression, hostility, and irritability. A few people may get psychotic symptoms such as hallucinations (seeing or hearing things that are really not there), delusions (false or strange thoughts or beliefs) and unusual behavior.
- extreme sleepiness, tiredness, and weakness
- problems with muscle coordination (problems walking and moving)
- allergic reactions such as swelling of the face, lips, eyes, tongue, and throat, trouble swallowing or breathing, and hives.
- a skin rash. Serious skin rashes can happen after you start taking ROWEEPR<sup>a</sup>. There is no way to tell if a mild rash will become a serious reaction.

The most common side effects seen in people who take ROWEEPR<sup>a</sup> include:

- sleepiness
- weakness
- infection
- dizziness

The most common side effects seen in children who take ROWEEPR<sup>a</sup> include, in addition to those listed above:

- tiredness
- acting aggressive
- nasal congestion
- decreased appetite
- irritability

These side effects can happen at any time but happen more often within the first 4 weeks of treatment except for infection.

Tell your healthcare provider if you have any side effect that bothers you or that does not go away.

These are not all the possible side effects of ROWEEPR<sup>a</sup>. For more information, ask your healthcare provider or pharmacist.

**Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.**

### How should I store ROWEEPR<sup>a</sup>?

- Store ROWEEPR<sup>a</sup> at room temperature, 59°F to 86°F (15°C to 30°C) away from heat and light.
- **Keep ROWEEPR<sup>a</sup> and all medicines out of the reach of children.**

### General information about ROWEEPR<sup>a</sup>.

Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide. Do not use ROWEEPR<sup>a</sup> for a condition for which it was not prescribed. Do not give ROWEEPR<sup>a</sup> to other people, even if they have the same symptoms that you have. It may harm them.

This Medication Guide summarizes the most important information about ROWEEPR<sup>a</sup>. If you would like more information, talk with your healthcare provider. You can ask your pharmacist or healthcare provider for information about ROWEEPR<sup>a</sup> that is written for health professionals. You can call 1-800-273-6729 to get information about ROWEEPR<sup>a</sup>.

### What are the ingredients of ROWEEPR<sup>a</sup>?

**ROWEEPR<sup>a</sup> tablet** active ingredient: levetiracetam

Inactive ingredients: colloidal silicon dioxide, corn starch, hypromellose, lactose monohydrate, magnesium stearate, povidone, titanium dioxide, triacetin and additional agents listed below:

500 mg tablets: iron oxide yellow

750 mg tablets: FD&C yellow #6/sunset yellow FCF aluminum lake, iron oxide red

ROWEEPR<sup>a</sup> does not contain gluten.

This Medication Guide has been approved by the US Food and Drug Administration.

### Manufactured for:



OWP Pharmaceuticals, Inc.  
931 W. Hawthorne Lane  
West Chicago, IL 60185

### By:

Lotus Pharmaceutical Co., Ltd. Nantou Plant  
No. 30 Chenggong 1st Rd., Sinsing Village, Nantou City,  
Nantou County 54066, Taiwan

Rev. 11/2017



The Pharmaceutical Social Enterprise<sup>®</sup>

931 W. Hawthorne Lane • West Chicago, IL 60185 | info@owppharma.com | 1-800-273-6729 | owppharma.com

©2018 OWP Pharmaceuticals, Inc. All rights reserved. Printed in U.S.A. OWOS1039V2 05/18